



NOTE: PROPOSED SHED MUST BE CONSTRUCTED TO DIMENSIONS SHOWN. ANY PROPOSED VARIATIONS MUST BE APPROVED BY CLIENT

STRUCTURAL ENGINEERING IS THE RESPONSIBILITY OF THE SUPPLIER. DETAILED STRUCTURAL DESIGN MUST BE APPROVED BY CLIENT PRIOR TO CONFIRMING ORDER

FINISH TO CLIENT SPECIFICATION.
 ROOF: CUSTOM ORB
 WALLS: CUSTOM ORB, RUNNING VERTICALLY
 GUTTERS: QUAD
 FLASHINGS & CAPPING: TO MATCH ROOF & WALLS
 FG - FIXED GLAZING
 CW - CASEMENT WINDOW
 DP - DOWNPIPE TO MATCH GUTTER

NOTE: PROPOSED WINDOWS TO BE APPROVED BY CLIENT

AS 4055-2012 WIND LOAD CLASSIFICATION:
 REGION: A
 TERRAIN CATEGORY: TC2.5
 SHEILDING
 CLASSIFICATION: PS
 TOPOGRAPHIC CLASSIFICATION: T3
 WIND CLASSIFICATION: N2
 DESIGN WIND GUST SPEED: (V_{h,w}) 40m/sec

PRELIMINARY