

FRAME ROOF PLAN



ELEVATION GRID B

Cont. on page 2

CLADDING

ITEM	PROFILE (min)	FINISH	COLOUR
ROOF	CUSTOM ORB 0.42 BMT	CB	MO
WALLS	TRIMDEK 0.42 BMT	CB	MO
CORNERS	-	CB	MO
BARGE	-	CB	MO
GUTTER	HI-QUAD	CB	MO

0.35bmt=0.40tct; 0.42bmt=0.47tct; 0.48bmt=0.53tct

ACCESSORY SCHEDULE & LEGEND

QTY	MARK	DESCRIPTION
1	RD1	Taurean, Light Industrial Commando Series B 3625 high x 2950 wide Clr. Open. C/B
2	RD2	Taurean, Light Industrial Commando Series B 3625 high x 3040 wide Clr. Open. C/B
1	L650-13	Larnec Door & Frame Kit, 650/37, Std. 2040 x 820 x C/Bond
8	SF1	Sheeting Translucent, 2400gm F/glass, Corrugated Profile (SGFGS/ADCB)

ARCHITECTURAL DRAWING ONLY, NOT FOR CONSTRUCTION USE

CLIENT
Juri Megarrity


SITE
**61 Hampson Lane
SHEFFIELD TAS 7306**

BUILDING
**SUNDOWN DELUXE
7680 SPAN x 4200 EAVE x 14000 LONG**


TITLE
GENERAL ARRANGEMENT


SCALE A4 SHEET 1:125	DRAWING NUMBER BURN01-26021	REV A	PAGE 1/4
-------------------------	---------------------------------------	-----------------	--------------------


Cont. on page 3




Cont. on page 1









**SECTION A-A
DET S1/EB1**
CAST-IN STRAP




**SECTION F-F
TYP SECT AT
SIDE WALL ROLLER DOOR**
TYPE A DOORS, OPENING WIDTH PLUS 50mm.
TYPE AA & B DOORS, OPENING WIDTH PLUS 100mm.




DET S1/A
CONTROL JOINT



DET S1/C
CONSTRUCTION JOINT



DET S1/EB1 FOR RC SLAB
NOT SUITABLE AT OPENINGS
SUBJECT TO VEHICLE TRAFFIC



DET S1/EB2
REQUIRED AT OPENINGS
SUBJECT TO VEHICLE TRAFFIC

Cont. on page 2

NOTES

ALL DIMENSIONS SHOULD BE CHECKED AND VERIFIED PRIOR TO COMMENCEMENT OF ANY WORKS.

IF SLIDING DOORS ARE INCLUDED ON THIS PROJECT, A STRIP FOOTING OR PAD FOOTINGS WILL BE NECESSARY, AND MUST BE POURED IN CONJUNCTION WITH THIS GARAGE'S SLAB OR FOOTINGS.

SEE ERECTION INSTRUCTIONS FOR SECTION & SLAB ADDITIONAL NOTES

SEE ENGINEERING DRAWINGS FOR ADDITIONAL DET'S NOTES & CONCRETE SPECIFICATION

CONTROL JOINTS MUST BE SUPPLIED AT NOT GREATER THAN 4.5m OR CONCRETE POUR AT A RATIO OF NOT MORE THAN 1:1.2 IN ANY DIRECTION

CONSTRUCTION JOINTS MUST BE SUPPLIED WHERE AN UNBROKEN RUN OF CONCRETE POUR EXCEEDS 30m IN ANY DIRECTION

COLUMN SCHEDULE:

COLUMN	SFO	C
SGBS15	60	154

DIMENSION SCHEDULE:

D	W	S1	X1	X2	X3	Y1	Y2
200	200	100	160	93	90	40	30

PRELIMINARY DRAWING - NOT FOR CONSTRUCTION PURPOSES

CLIENT

Juri Megarrity

SITE

**61 Hampson Lane
SHEFFIELD TAS 7306**

BUILDING

**SUNDOWN DELUXE
7680 SPAN x 4200 EAVE x 14000 LONG**

TITLE

RC SLAB PLAN

SCALE
NTS


DRAWING NUMBER
RSP-26021

REV
A

PAGE
1/3

Cont. on page 1


Cont. on page 3



BASE STRAP & HD BOLT SCHEDULE
10 REQ'D BASE STRAP SGBS15

PRELIMINARY DRAWING - NOT FOR CONSTRUCTION PURPOSES

Cont. on page 2



PRELIMINARY DRAWING - NOT FOR CONSTRUCTION PURPOSES