



FRONT ELEVATION



REAR ELEVATION



BUILDING DETAILS

Building Size	10000W x 20000L x 3900H
Roof Pitch	10 Degrees
Key Connections	Unique Double Bracketed System
Bolt Type	High Tensile Class 8.8
Roof Type	Custom Orb 0.47 TCT Colorbond
Wall Type	Trimdek 0.47 TCT Colorbond
Barge Type	Barge Colorbond
Gutter Type	FasciaGutter Colorbond
Downpipe Type	100 x 75 Rectangular Downpipe Colorbond
Weight	approx 4976 Kgs

SITE CLASSIFICATION

Importance Level	2
Region	B
Terrain Category	2
Shielding Multiplier	1.0
Regional Wind Speed	57 m/s
Snow Loading	No Snow Loading

ADDITION SUMMARY**ROLLER DOORS:**

3 / 3.3m High x 3.3m Wide Colorbond [NoColour] Industrial Roller Door

ACCESS DOORS:

1 / Standard 2040 x 820 PA Door (650.37) Colorbond [NoColour] Access Door

SKYLIGHTS:

No Skylights

BEAMOVER:

No Beamover

ROOF VENT:

4 / Roof Ventilator Whirlybird W300 Colorbond [NoColour]

INTERNAL WALL:

No Internal Walls

LEAN-TO:

Left: No Left LeanTo

Right: No Right LeanTo

SLIDING DOORS:

No Metal Sliding Doors

INSULATION:

Walls: No Insulation.

Roof: No Insulation.

DELIVERY:

Site

EXTRAS: